



## DL-S 25-130/T plus-EN54

- 2-way system
- thermal fuse
- magnetic fastening of grille



EN 54-24:2008  
 Ref. Nr.: 018-15  
 ID-Code: SAA-LS18  
 1438-CPR-0431

ic audio GmbH, Boehringerstraße 14a,  
 D-68307 Mannheim, Germany

CE-Symbol gemäß Richtlinie 93/68EWG

### Technical Data (Electrical)

Description	DL-S 25-130/T plus-EN54
Power	25/12.5/6.25 (8) W
Impedance (100V)	400/800/1600 ohm
Frequency Range	104 - 22.700 Hz
Frequency Response	111 - 21.600 Hz
SPL IEC268-5, 1W/1m	87,0 dB
SPL EN54-24, Pmax/4m	90,2 dB
Sensitivity EN54-24, 1W/4m	75,8 dB
Sensitivity EN54-24, 1W/1m	87,8 dB
Dispersion -6dB, 500Hz	h/v 180°
Dispersion -6dB, 1KHz	h/v 180°
Dispersion -6dB, 2KHz	h/v 110°

Dispersion -6dB, 4KHz h/v 72°


## Technical Data (Mechanical)

Dimensions	216,5 x 141 mm
IP Rating	IP21
Weight (net)	1,80 kg
Ceiling Cut-out	186 mm
Temperature range	-10 / +55 °C
Mounting	Screw system
Connector	5-pin screw terminal
Terminal diameter	2,5 mm
Maximum cable passage	4,9 mm <sup>2</sup>
Colour	RAL 9016


## Product Attributes





## Technical Diagrams




ic audio GmbH  
1 Octave)




## Frequency Response Diagrams




## Polar Diagrams














ic audio loudspeakers are tested and classified according to the IEC standard 60529 (degree of protection by enclosure) against the penetration of foreign objects and moisture. The classification is conforming to standards through characterization with a fixed code. This code consists of the letters IP (International Protection) followed by two digits. The first digit indicates the degree of protection against dust and the second digit the degree of protection against water. Please note that the testing of the products has been carried out in laboratory conditions which are not always 100% comparable with the conditions of different installation environments. This protection can be reduced due to normal wear and tear depending on the installation environment.

RoHS compliant (2011/65/EU)

The IP rating specified is based on ic audio test results, not on CNBOP-PIB test results. Certification only verifies the minimum requirements for EN54-24 compliance.

**Article Nr.: 20183626**

**Packing Unit: 8**

